

CHLORFENAPYR

GROUP

13

INSECTICIDE

SPECIMEN

# PT<sup>®</sup> Phantom<sup>®</sup> II

## Pressurized Insecticide

**For sale to, use and storage only by individuals/firms licensed or registered by the state to apply termiticide and/or general pest control products.**

**KILLS:** Ants (including *foraging* Fire, Harvester and Pharaoh; excluding Carpenter), Asian Lady Beetles, Bed Bugs, Bees (Honey), Beetles, Boxelder Bugs, Carpenter Bees, Centipedes, Cluster Flies, Cockroaches, Crickets, Dermestids, Drain Flies, Earwigs, Elm Leaf Beetles, Flour Beetles, Grain Weevils, House Flies, Indianmeal Moths, Pillbugs, Silverfish, Spiders (excluding Brown Recluse), Springtails, Stable Flies, Stink Bugs, Termites\* (Subterranean), Wasps and Yellowjackets

\* Not a substitute for mechanical alteration, soil or foundation treatment.

**FOR USE IN AND AROUND:** Apartments, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Warehouses and other Commercial and Industrial Buildings

**ACTIVE INGREDIENT:**

Chlorfenapyr: 4-bromo-2-(4-chlorophenyl)-1-(ethoxymethyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile . . . . . 0.5%

**OTHER INGREDIENTS:** . . . . . 99.5%

**TOTAL:** . . . . . 100.0%

EPA Reg. No. 499-548

EPA Est. No.

### KEEP OUT OF REACH OF CHILDREN CAUTION

See full label for **Precautionary Statements, Directions For Use, Storage and Disposal, Conditions of Sale and Warranty**, and/or state-specific use site restrictions.

**NET CONTENTS:**

BASF Agricultural Solutions US LLC  
2 TW Alexander Drive  
Research Triangle Park, NC 27713

 **BASF**  
We create chemistry

## HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may also call 1-800-832-HELP (4357) 24 hours/day, 7 days/week.

## PRECAUTIONARY STATEMENTS

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### APPLICATORS AND OTHER HANDLERS MUST WEAR:

PPE consisting of long-sleeved shirt, long pants and shoes plus socks.

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove and wash contaminated clothing before reuse.

### USER SAFETY RECOMMENDATIONS

#### Users should:

- Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove contaminated clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, birds and wildlife. **DO NOT** apply directly to water or to areas where surface water is present or intertidal areas below the mean high water mark.

### For Outdoor Use

To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

## PHYSICAL OR CHEMICAL HAZARDS

**Flammable.** Contents under pressure. Keep away from heat, sparks and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. **DO NOT** spray directly into any electronic equipment such as radios, televisions, computers, etc., due to the possibility of short circuits or shock hazard. Test on a small surface prior to use, as spray may mar plastic, painted or varnished surfaces.

## DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

### USE RESTRICTIONS

- Apply this product only as specified on this label.
- **DO NOT** reapply more than once every 4 weeks.
- **DO NOT** contact treated areas until the spray has dried.
- **DO NOT** allow adults, children, or pets to enter until vapors, mists and/or aerosols have dispersed and the treated area has been thoroughly ventilated.
- **DO NOT** allow individuals without proper personal protective equipment in the immediate vicinity during application.
- When used in hospitals and nursing homes, remove patients before treating rooms. Allow treated areas to dry thoroughly before returning patients to rooms.
- When used in schools, **DO NOT** apply to classrooms while in use. Allow treated areas to dry thoroughly before reoccupying.
- **DO NOT** make applications to or contaminate food, food packaging or food contact surfaces.
- When used in the home, remove or cover exposed food and drinking water in the treatment area before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces in the treatment area or wash them before use. **DO NOT** use in serving areas while food is exposed.
- Applications in food-handling areas of food-handling establishments are limited to spot, void, and crack and crevice treatments. **DO NOT** make applications when facility is in operation. Avoid contamination of food or feed stuffs. During application, cover or remove food and food processing surfaces and equipment, or clean after treatment with a suitable detergent and rinse with potable water before use. **DO NOT** use in serving areas (dining areas where prepared foods are served) while food is exposed or facility is in operation.
- Except when applying to sewers or drains as instructed on this label, **DO NOT** apply directly into sewers or drains or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur.
- **DO NOT** treat surfaces where items such as linens, clothing, toiletries, or other personal belongings will come in direct contact.
- **DO NOT** make applications to mattresses, including seams, tufts, folds, and edges.
- **DO NOT** apply to surfaces of box springs, bed frames, off-bed areas, and furniture that could come in direct contact with humans and pets. Product can still be

applied to other areas of box springs, bed frames and off-bed areas and furniture that do not come in direct contact with humans and pets. Before applying to bed frames, remove linens and wash before reuse. Allow treatments to dry before remaking bed.

- **DO NOT** allow pets to contact treated areas until spray has dried. Remove pets and cover or remove animal food/water and fish bowls from areas to be treated prior to application. In zoos, remove animals from areas to be treated and cover or remove animal food/water prior to application.
- **DO NOT** apply into heating and air conditioning ducts.
- **DO NOT** apply in aircraft cabins.
- **DO NOT** compost any discarded plant materials that have been treated with this product.
- **DO NOT** make outdoor applications during rain.
- **DO NOT** allow excess product to pool. Use care during application to avoid splatter, dripping, and pooling. If needed, clean up any excess product before leaving the site. A spill control kit can be used for this purpose.

**CRACK & CREVICE® TREATMENT:** Use with the supplied actuator and injection tubes. Inject into cracks and crevices or void spaces where pests may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately 1 sec of product. For light infestations, move injector tip along cracks while treating at the rate of 3 In ft/sec. For heavy infestations, move injector tip along at 1 In ft/sec. For closed voids, calculate the void's cubic area and treat at the rate of 1 to 5 sec/3 ft<sup>3</sup>. Several holes may be used to treat long-running voids.

**SPOT TREATMENT:** Use with the supplied actuator and injection tubes. Hold container upright while spraying. Direct nozzle approximately 12 inches from surface to be treated. Apply directly on pests in these locations when possible. Limit individual spot treatments to an area no larger than 2 ft<sup>2</sup>/100 ft<sup>2</sup>.

Before spot treating on plastic, painted or varnished surfaces, test a small, inconspicuous area and observe for staining or damage to finish.

---

## INDOOR TREATMENTS

---

### **CRAWLING PESTS [including Centipedes, Cockroaches, Crickets, Dermestids, Earwigs, Sowbugs and Spiders (excluding Brown Recluse)]:**

Apply as a Crack & Crevice treatment using the prescribed amount into cracks, crevices and void spaces where pests may harbor, nest, trail, run or hide, including openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewers, floor drains and meter boxes. Spot treatments may also be made to areas such as storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves, shelves and drawers, and similar areas; and other equipment.

**BOOKLICE and SILVERFISH:** Apply as a Crack & Crevice treatment into cracks and crevices of baseboards, door frames, bookcases and other harborage sites. Spot

treatments may also be made to areas such as storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves, shelves and drawers, and similar areas; and other equipment.

**ANTS (including *foraging* Fire, Harvester and Pharaoh; excluding Carpenter):** Apply as a Crack & Crevice treatment into cracks, crevices and voids where ants may harbor, nest, trail, run or hide, including around doors, window frames, wall voids and other structural cracks and crevices. Spot treatments may also be made to areas such as storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves, shelves and drawers, and similar areas; and other equipment.

**BED BUGS:** Apply to cracks, crevices, voids and/or harborage where evidence of bed bugs occurs, including bed frames, box springs, inside empty dressers, furniture and closets, carpet edges, high and low wall moldings, behind headboards, pictures and wallpaper edges.

**DO NOT** make applications to mattresses or bedding. **DO NOT** treat pillows, bedding or clothing. Prior to treatment remove linens and wash before reuse. Remove clothes and other articles from dressers or clothes closets before application. Allow treated areas to dry thoroughly before use.

**CHOCOLATE MOTHS, DRUGSTORE BEETLES, FLOUR BEETLES, GRAIN WEEVILS, INDIANMEAL MOTHS and TROGODERMA BEETLES:** Apply into cracks, crevices and/or voids where these pests may harbor such as in cabinets and pantries, wall voids, around window and door frames, and in machinery. Spot treatments may also be made to areas such as storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves, shelves and drawers, and similar areas; and other equipment.

**DRAIN FLIES:** Release approximately 1 to 2 sec of product into the drain basin.

---

## FOOD HANDLING ESTABLISHMENTS

---

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) are also considered food areas.

Apply as a Crack & Crevice treatment or spot treatment directly into cracks, crevices, voids or onto surfaces where pests harbor, nest, trail, run or hide. For crack and crevice treatments, use an injection tube capable of delivering a pinstream. Apply to different elements of construction; between equipment and floor; openings leading to hollow spaces in walls, equipment legs and bases; and where pests hide or nest.

Limit individual spot treatments to an area no larger than 2 ft<sup>2</sup>/100 ft<sup>2</sup>.

**NON-FOOD AREAS:** Includes areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply as a Crack & Crevice treatment or spot treatment to selected surfaces such as baseboards and under elements of construction.

**INTERIOR/LIMITED EXTERIOR  
APPLICATION OF STRUCTURES AS A  
CRACK & CREVICE OR SPOT TREATMENT**

**FOR ACTIVE AND HIBERNATING STAGES OF ASIAN LADY BEETLES, BOXELDER BUGS, CLUSTER FLIES, ELM LEAF BEETLES, HONEY BEES, STINK BUGS, WASPS AND YELLOWJACKETS:** Apply as a Crack & Crevice or spot treatment into cracks, crevices and/or voids where these insects may harbor, congregate or hibernate such as cracks and crevices, behind siding, wall voids, around window and door frames.

**CARPENTER BEES:** Locate entrance holes. Treat galleries through entrance holes. Seal bee entrances after application.

**CRAWLING PESTS (including Centipedes, Crickets, Earwigs, Pillbugs and Springtails):** Apply as a Crack & Crevice or spot treatment into cracks and crevices where pests may enter premises or harbor such as weep holes, under siding, wall voids, soffits, around attic vents, cracks, crevices and openings around windows, doors and pipes, and exterior areas where utilities may enter the structure.

**FLIES (House and Stable):** Apply as a Crack & Crevice or spot treatment to areas where flies rest, congregate or enter the structure on both the exterior and interior. Apply around doors, windows, garages, garbage storage areas, upper corners of walls, ceiling areas, around sky lights, light fixtures and similar areas.

**TERMITES (Subterranean):** This product is for localized treatment only and is not designed as a stand alone treatment. It is designed to kill the termites it contacts during application and those that might return to the treated area. Inject into cracks, crevices and voids where termites are known or suspected. For wood treatment, drill a hole every 8 to 12 inches across the face of the board and inject 1 to 3 sec of product into the gallery. (Specialized equipment may be required for this application). For treating carton, inject for 3 to 5 sec at several locations if possible.

**STORAGE AND DISPOSAL**

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store this product in a cool, dry (preferably locked) place away from heat or open flame, in an area that is inaccessible to children and animals.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL: DO NOT** puncture or incinerate! **If Empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.  
Federal regulations prohibit CFC propellants in aerosols.



## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC (hereafter "BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

PCS915

**Crack & Crevice, Phantom, and PT** are registered trademarks of BASF.

© 2025 BASF Agricultural Solutions US LLC  
All rights reserved.

000499-00548.20250211.**NVA 2025-04-0474-0042**

Based on: NVA 2023-04-0474-0134

Supersedes: NVA 2023-04-0474-0069

BASF Agricultural Solutions US LLC  
2 TW Alexander Drive  
Research Triangle Park, NC 27713

  
We create chemistry