

SAFETY DATA SHEET
D-Foam Insecticide

SDS #: 7094-A
Revision date: 2021-02-17
Format: NA
Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name D-Foam Insecticide

Other means of identification

Product Code(s) 7094-A

Synonyms (1R,3R)-3(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylic

Active Ingredient(s) Deltamethrin

Chemical Family Pyrethroid Ester Insecticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning**Hazard Statements**

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

**Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical Family**

Pyrethroid Ester Insecticide.

Chemical name	CAS-No	Weight %
Deltamethrin	52918-63-5	0.06
Petroleum gases, liquified, sweetened	68476-86-8	10-15
Petroleum distillates, hydrotreated light	64742-47-8	5-10
Acetyltri-n-butyl citrate	77-90-7	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES**Eye Contact**

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin Contact

If skin irritation occurs: Get medical advice/ attention. IF ON SKIN: Wash with plenty of

soap and water.

Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Allergic skin reactions. Central nervous system effects.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire	Dry chemical. Carbon dioxide (CO ₂).
Large Fire	Water spray. Foam.
Unsuitable extinguishing media	Avoid heavy hose streams.
Specific Hazards Arising from the Chemical	None known
<u>Explosion data</u>	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. Keep out of waterways.
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
-----------------	--

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates, hydrotreated light (64742-47-8)	TWA: 200 mg/m ³ Skin	-	-	-

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection Minimize skin contamination by following good industrial hygiene practices. Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear, Colorless Aerosolized liquid
Physical State	Aerosol
Color	Colorless
Odor	No information available
Odor threshold	No information available
pH	5.1
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	Non-flammable per flame projection test.
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available

Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	8.227 lb/gal
Specific gravity	No information available
Water solubility	insoluble
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat.
Incompatible materials	None known.
Hazardous Decomposition Products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	500 -5000 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rat)
LC50 Inhalation (dust)	> 2 mg/L (rat) 4 hr
Serious eye damage/eye irritation	Moderately irritating (rabbit).
Skin corrosion/irritation	Slightly or non-irritating (rabbit).
Sensitization	Sensitizer

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Acetyltri-n-butyl citrate (77-90-7)	> 31500 mg/kg (Rat)		

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Deltamethrin: Repeated or prolonged exposure may cause central nervous system effects (decrease motor activity, tremor, difficulty breathing, impaired gait and choreoathetosis).
Mutagenicity	Deltamethrin: Not genotoxic in laboratory studies.
Carcinogenicity	Deltamethrin: No evidence of carcinogenicity from animal studies.
Neurological effects	Deltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.

D-Foam Insecticide

SDS #: 7094-A
Revision date: 2021-02-17
Version 1.05

Reproductive toxicity	Deltamethrin: No toxicity to reproduction in animal studies.
Developmental toxicity	Deltamethrin: Not teratogenic in animal studies.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Target organ effects	Nervous system.
Neurological effects	Deltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.
Aspiration hazard	No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Deltamethrin 52918-63-5		Group 3		

Legend:

IARC (International Agency for Research on Cancer)
Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION

Ecotoxicity

Deltamethrin (52918-63-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Deltamethrin	96 h LC50	Fish	0.26	µg/L
	48 h EC50	Crustacea	0.56	µg/L
	72 h EC50	Algae	9.1	mg/L
	21 d NOEC	Fish	0.032	µg/L
	21 d NOEC	Crustacea	0.0041	µg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Acetic Acid 64-19-7		96 h LC50: = 75 mg/L (Lepomis macrochirus) static 96 h LC50: = 79 mg/L (Pimephales promelas) static	24 h EC50: = 47 mg/L (Daphnia magna) 48 h EC50: = 65 mg/L (Daphnia magna) Static
Petroleum distillates, hydrotreated light 64742-47-8		96 h LC50: = 2.2 mg/L (Lepomis macrochirus) static 96 h LC50: = 2.4 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through	96 h LC50: = 4720 mg/L (Den-dronereides heteropoda)
Alcohols (C12-15 Ln. saturated) ethoxylate 68131-39-5	72 h EC50 Pseudokirchneriella subcapitata: 0.75 mg/L	96 h LC50 fish: 1.3 mg/L 10 d NOEC Lepomis macrochirus: 0.16 mg/L	48 h EC50 Daphnia magna: 0.14 mg/L 21 d NOEC Daphnia magna: 0.77 mg/L
Acetyltri-n-butyl citrate 77-90-7		96 h LC50: 38 - 60 mg/L (Lepomis macrochirus) flow-through	

Persistence and degradability Deltamethrin: Non-persistent. Does not readily hydrolyze at pH 7 and 8. Readily hydrolyzed at pH 9. Not readily biodegradable.

Bioaccumulation Deltamethrin: The substance has a potential for bioconcentration.

Mobility Deltamethrin: Immobile; Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and packages Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

D-Foam Insecticide

SDS # : 7094-A
Revision date: 2021-02-17
Version 1.05

DOT Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols, flammable
Hazard class 2.1
Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols, flammable
Hazard class 2.1
Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols, flammable
Hazard class 2.1

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
EmS No. F-D, S-U
Description UN1950, Aerosols, 2.1, Limited Quantity

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic Acid 64-19-7	5000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetic Acid	5000 lb	

D-Foam Insecticide

SDS #: 7094-A
Revision date: 2021-02-17
Version 1.05

64-19-7	2270 kg	
---------	---------	--

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful If swallowed or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This product is toxic to fish.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Deltamethrin 52918-63-5			X		X	X	X	X
Petroleum gases, liquified, sweetened 68476-86-8	X	X	X		X	X	X	X
Petroleum distillates, hydrotreated light 64742-47-8	X	X	X		X	X	X	X
Acetyltri-n-butyl citrate 77-90-7	X	X	X	X	X	X	X	X

CANADA

Not applicable

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-02-17
Reason for revision: SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any

D-Foam Insecticide

SDS #: 7094-A
Revision date: 2021-02-17
Version 1.05

other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet