

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### SECTION 1. IDENTIFICATION

**Product identifier**

**Product name** Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

**Other means of identification**

**Product code** 50000455

**Chemical nature** Mixture

**Recommended use of the chemical and restrictions on use**

**Recommended use** Can be used as insecticide only.

**Restrictions on use** Use as recommended by the label.

**Details of the supplier of the safety data sheet**

**Manufacturer** FMC Corporation  
2929 WALNUT ST  
PHILADELPHIA PA 19104  
USA  
(215) 299-6000  
SDS-Info@fmc.com

**Emergency telephone**

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:  
U.S.A. & Canada: +1 800 / 331-3148  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin sensitization : Category 1  
Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Lungs)

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary Statements

: **Prevention:**  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P330 Rinse mouth.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Bifenthrin	82657-04-3	0.2
cypermethrin (ISO)	52315-07-8	0.05
Bentonite	1302-78-9	>= 80 - <= 90
Quartz (SiO <sub>2</sub> )	14808-60-7	>= 1 - < 5
2-methylpentane-2,4-diol	107-41-5	>= 1 - < 5

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
May cause an allergic skin reaction.  
Causes damage to organs through prolonged or repeated exposure if inhaled.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4	Revision Date: 03/10/2023	SDS Number: 50000455	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

---

- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Never return spills in original containers for re-use.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		PEL (respirable)	0.05 mg/m <sup>3</sup>	OSHA CARC
		TWA (respirable dust fraction)	0.1 mg/m <sup>3</sup>	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
2-methylpentane-2,4-diol	107-41-5	TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m <sup>3</sup>	ACGIH
		C	25 ppm 125 mg/m <sup>3</sup>	NIOSH REL
		C	25 ppm 125 mg/m <sup>3</sup>	OSHA P0

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4	Revision Date: 03/10/2023	SDS Number: 50000455	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

---

Material	:	Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	granules
Color	:	gray
Odor	:	mild
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Bulk density : 55.43 lb/scf

Solubility(ies)

    Water solubility : dispersible

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed or if inhaled.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### **Product:**

Acute oral toxicity : LD50 (Rat): 550 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Result : slight irritation  
Remarks : May cause skin irritation and/or dermatitis.

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Result : slight irritation  
Remarks : Product dust may be irritating to eyes, skin and respiratory system.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

### **Product:**

Assessment : May cause sensitization by skin contact.  
Result : Probability or evidence of low to moderate skin sensitization rate in humans

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Bifenthrin:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

Result: negative

Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: Mouse lymphoma assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test  
Species: *Drosophila melanogaster* (vinegar fly)  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Method: OECD Test Guideline 486  
Result: negative

### **cypermethrin (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Chinese hamster  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Bentonite:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

### **Quartz (SiO<sub>2</sub>):**

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### 2-methylpentane-2,4-diol:

Genotoxicity in vitro : Test Type: gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### Carcinogenicity

Not classified based on available information.

### Product:

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

<b>IARC</b>	Group 1: Carcinogenic to humans Quartz (SiO <sub>2</sub> ) (Silica dust, crystalline)	14808-60-7
<b>OSHA</b>	OSHA specifically regulated carcinogen Quartz (SiO <sub>2</sub> ) (crystalline silica)	14808-60-7
<b>NTP</b>	Known to be human carcinogen Quartz (SiO <sub>2</sub> ) (Silica, Crystalline (Respirable Size))	14808-60-7

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Bifenthrin:

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

- Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 3 mg/kg bw/day  
General Toxicity F1: NOAEL: 5 mg/kg bw/day  
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day  
Teratogenicity: NOAEL: 2.7 mg/kg bw/day  
Symptoms: Maternal effects.  
Result: No teratogenic effects.
- Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day  
Teratogenicity: NOAEL: 2 mg/kg bw/day  
Result: No teratogenic effects.

### **cypermethrin (ISO):**

- Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: NOAEL: 22 mg/kg bw/day  
Method: OECD Test Guideline 416  
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 12.5 mg/kg bw/day  
Developmental Toxicity: NOAEL: 35 mg/kg bw/day  
Method: OECD Test Guideline 426  
Result: negative  
GLP: yes

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **Bentonite:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **2-methylpentane-2,4-diol:**

- Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Dose: 200, 500, 1000 mg/kg/day  
General Toxicity Parent: NOEL: >= 1,000 mg/kg bw/day

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

General Toxicity F1: LOAEL: 1,000 mg/kg bw/day  
Method: OECD Test Guideline 421  
Result: negative

Effects on fetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Dose: 0,30,300,1000 mg/kgbw/day  
Duration of Single Treatment: 10 d  
General Toxicity Maternal: LOAEL: 1,000 mg/kg bw/day  
Embryo-fetal toxicity.: LOAEL: 1,000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

Not classified based on available information.

#### Components:

##### **Bifenthrin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

##### **cypermethrin (ISO):**

Target Organs : Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Assessment : May cause respiratory irritation.

##### **Bentonite:**

Remarks : No significant adverse effects were reported

##### **2-methylpentane-2,4-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

#### Components:

##### **Bifenthrin:**

Target Organs : Central nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### cypermethrin (ISO):

Target Organs : Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Bentonite:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Quartz (SiO<sub>2</sub>):

Routes of exposure : Inhalation  
Target Organs : Lungs  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

### Repeated dose toxicity

#### Components:

##### **Bifenthrin:**

Species : Rat, male and female  
NOEL : 100 ppm  
Application Route : Oral - feed  
Exposure time : 90 d  
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female  
NOEL : 2.5 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 13 w  
Symptoms : Tremors

##### **cypermethrin (ISO):**

Species : Dog  
NOAEL : 5 mg/kg  
LOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Dose : 1, 5, 15 mg/kg/d  
Symptoms : Gastrointestinal disturbance, Neurological disorders

Species : Dog  
NOAEL : 6 mg/kg bw/day  
LOAEL : 18 mg/kg bw/day  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Nervous system

Species : Rat  
NOAEL : 16.7 mg/kg bw/day  
LOAEL : 33.7 mg/kg bw/day

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Nervous system

Species : Dog  
NOAEL : 6 mg/kg  
LOAEL : 18 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Dose : 3, 6, 18, 33 mg/kg/d  
Method : EPA OPP 83-1  
Symptoms : Tremors

Species : Rat  
NOAEL : 4.5 mg/kg  
Application Route : Oral  
Exposure time : 2 y  
Dose : 0.6, 4.5, 30, 45 mg/kg/d  
Target Organs : Liver

### Quartz (SiO<sub>2</sub>):

Species : Rat  
LOAEC : 0.0025 mg/l  
Application Route : Inhalation  
Exposure time : 90 day  
Method : OECD Test Guideline 413  
Target Organs : Lungs  
Remarks : Based on data from similar materials

### 2-methylpentane-2,4-diol:

Species : Rat, male and female  
NOAEL : 450 mg/kg bw/day  
Application Route : Oral  
Exposure time : 90 d  
Dose : 50, 150, 450, mg/kg bw/day  
Method : OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

### Components:

#### **Bifenthrin:**

The substance does not have properties associated with aspiration hazard potential.

#### **cypermethrin (ISO):**

The substance does not have properties associated with aspiration hazard potential.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### Experience with human exposure

#### Components:

#### **cypermethrin (ISO):**

General Information : Symptoms: May cause paraesthesia

### Further information

#### Product:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Bifenthrin:**

Toxicity to fish : LC50 (Salmo gairdneri): 0.15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.822 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0013 µg/l  
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l  
Exposure time: 21 d

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): > 16 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Apis mellifera (bees)): 0.044 - 0.11 µg/bee  
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): 0.1 µg/bee  
End point: Acute oral toxicity

---

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

### **cypermethrin (ISO):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.69 µg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.141 µg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (algae): > 1 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.015 µg/l  
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.01 µg/l  
Exposure time: 21 d
- Toxicity to soil dwelling organisms : LC50 (worms): > 100 mg/kg  
Exposure time: 14 d
- Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,025 mg/kg
- NOEC (Colinus virginianus (Bobwhite quail)): 150 mg/kg  
End point: Reproduction Test
- LD50 (Apis mellifera (bees)): 0.059 µg/bee
- LC50 (Apis mellifera (bees)): 0.033 µg/bee

### **Ecotoxicology Assessment**

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### **Bentonite:**

- Toxicity to fish : LC50 (Salmo gairdneri): 8,000 mg/l  
Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): 16,000 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### Quartz (SiO<sub>2</sub>):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l  
Exposure time: 72 h

### 2-methylpentane-2,4-diol:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 8,510 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 8,690 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 12,800 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 9,450 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Ictalurus punctatus (channel catfish)): 11,200 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Carassius auratus (goldfish)): 12,000 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,410 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 429 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 429 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Bacteria): 200 mg/l  
Exposure time: 10 d  
Test Type: Growth inhibition

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### Persistence and degradability

#### Components:

##### **Bifenthrin:**

Biodegradability : Result: Not readily biodegradable.

##### **cypermethrin (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **Bentonite:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Quartz (SiO<sub>2</sub>):**

Biodegradability : Result: Not biodegradable

##### **2-methylpentane-2,4-diol:**

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 81 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Components:

##### **Bifenthrin:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,709  
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.  
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 6

##### **cypermethrin (ISO):**

Bioaccumulation : Remarks: Accumulation in aquatic organisms is expected.

Partition coefficient: n-octanol/water : log Pow: 5 - 6 (75 °F / 24 °C)

##### **Quartz (SiO<sub>2</sub>):**

Bioaccumulation : Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### Mobility in soil

#### Components:

##### **Bifenthrin:**

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37  
Remarks: immobile

Stability in soil :

##### **cypermethrin (ISO):**

Distribution among environmental compartments : Remarks: immobile

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

#### Components:

##### **cypermethrin (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zeta-Cypermethrin, Bifenthrin)  
Class : 9  
Subsidiary risk : ENVIRONM.  
Packing group : III  
Labels : 9 (ENVIRONM.)

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Zeta-Cypermethrin, Bifenthrin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zeta-Cypermethrin, Bifenthrin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(, Bifenthrin)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes  
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### Special precautions for user

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO. 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Carcinogenicity  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

---

### US State Regulations

#### Massachusetts Right To Know

Quartz (SiO<sub>2</sub>) 14808-60-7  
2-methylpentane-2,4-diol 107-41-5

#### Pennsylvania Right To Know

Bentonite 1302-78-9  
Quartz (SiO<sub>2</sub>) 14808-60-7  
2-methylpentane-2,4-diol 107-41-5  
Distillates (petroleum), hydrotreated light 64742-47-8

#### Maine Chemicals of High Concern

Quartz (SiO<sub>2</sub>) 14808-60-7

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO<sub>2</sub>), Distillates (petroleum), hydrotreated light, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### California List of Hazardous Substances

2-methylpentane-2,4-diol 107-41-5

#### California Permissible Exposure Limits for Chemical Contaminants

Quartz (SiO<sub>2</sub>) 14808-60-7  
2-methylpentane-2,4-diol 107-41-5

#### California Regulated Carcinogens

Quartz (SiO<sub>2</sub>) 14808-60-7

#### The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version 1.4      Revision Date: 03/10/2023      SDS Number: 50000455      Date of last issue: -  
Date of first issue: 05/26/2016

IECSC : Not in compliance with the inventory  
NZIoC : Not in compliance with the inventory  
TECI : Not in compliance with the inventory

### TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

#### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens  
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	03/10/2023	50000455	Date of first issue: 05/26/2016

---

NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA P0 / C	: Ceiling limit
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC

# SAFETY DATA SHEET



## Talstar® Xtra Granular Insecticide w/ Verge Granule Technology

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	03/10/2023	50000455	Date of first issue: 05/26/2016

---

Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

**End of Material Safety Data Sheet**