

# Nature's Element<sup>®</sup> Web Out<sup>®</sup> Safety Data Sheet

ssue Date: 22-Jun-2020 Revision Date: 20-Feb-2025 Version 6

# 1. IDENTIFICATION

Product identifier

Product Name Nature's Element Web Out

Other means of identification

**SDS #** NIS-034

Recommended use of the chemical and restrictions on use

**Recommended Use** Web remover and repellent.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Nisus Corporation 100 Nisus Drive Rockford, TN 37853

Emergency telephone number

Company Phone Number Phone: (800)-264-0870

Fax: (865) 577-5825

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Tan liquid Physical state Liquid Odor Lemon Vinegar

Classification

Skin corrosion/irritation	Category 2
Serious eve damage/eve irritation	Category 2

# Signal Word Warning

#### **Hazard statements**

Causes skin irritation
Causes serious eye irritation



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Vinegar	8028-52-2	35-45
Isopropanol	67-63-0	5-10
Sodium lauryl sulfate	151-21-3	4-5
Polyglyceryl oleate	9007-48-1	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin Contact** Wash with soap and water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

**Inhalation** Remove to fresh air.

Ingestion Do not induce vomiting without medical advice. Call a poison center or doctor/physician if

you feel unwell.

# Most important symptoms and effects, both acute and delayed

Symptoms Direct contact with eyes may cause moderate to severe irritation or burns with possible eye

damage. Causes skin irritation. Inhalation of mist or vapors may cause respiratory tract

irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash face, hands and any

exposed skin thoroughly after handling.

#### **Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Dike and collect liquid or absorb with an inert absorbent and place in appropriate containers

for disposal. Prevent spill from entering sewers and watercourses. Report releases as

required by local, state and federal authorities.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

**Incompatible Materials** Strong oxidizing agents. Strong acids.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety goggles or glasses where splashing is possible. Refer to 29 CFR 1910.133 for

eye and face protection regulations.

Skin and Body Protection Nitrile or latex gloves. Wear long-sleeved shirt, long pants, and shoes plus socks. Refer to

29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceTan liquidOdorcitrus Vinegar typeColorTanOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH values values values

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)

Not determined
100°C / 212°F
40.1°C / 104.4°F
Not determined
Liquid - Not Applicable

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor PressureNot determinedVapor DensityNot determined

**Relative Density** 0.99 **Water Solubility** Soluble

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Strong oxidizing agents.

# **Incompatible materials**

Strong oxidizing agents. Strong acids.

# **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Causes skin irritation.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Sodium lauryl sulfate 151-21-3	= 1288 mg/kg ( Rat )	= 200 mg/kg ( Rabbit )	> 3900 mg/m³ (Rat) 1 h
Citronella 8000-29-1	= 7200 mg/kg ( Rat )	-	-
Lemongrass Oil 8007-02-1	> 5 g/kg (Rat)	-	-
Thyme Oil 8007-46-3	= 2840 mg/kg ( Rat )	-	-

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropanol		Group 3		X
67-63-0		•		

# Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 6,193.10 mg/kg

 Dermal LD50
 13,430.90 mg/kg

 ATEmix (inhalation-dust/mist)
 12.70 mg/L

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Not regulated.

**Component Information** 

Chemical name	Algae/aquatic plants	Fish	Crustacea
Isopropanol	1000: 72 h Desmodesmus	11130: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50	mg/L LC50 static	EC50
	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	
	subspicatus mg/L EC50	mg/L LC50 flow-through	
		1400000: 96 h Lepomis macrochirus	
		μg/L LC50	

Pseudokirchneriella subcapitata mg/L EC50 static 30 - 100 · 96 h Desmodesmus subspicatus mg/L EC50 117 · 96 h Pseudokirchneriella subcapitata mg/L EC50 53: 72 h Desmodesmus subspicatus mg/L LC50 semi-static 13.5 · 18.3 · 96 h Poecilia reticulata mg/L LC50 semi-static 13.5 · 18.3 · 96 h Pimephales promelas mg/L LC50 static 22.1 · 22.8 · 96 h Pimephales promelas mg/L LC50 static 4.2 · 4.8 · 96 h Lepomis macrochirus mg/L LC50 static 4.2 · 4.8 · 96 h Lepomis macrochirus mg/L LC50 static 5. · 7.5 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.2 · 9.6 · 96 h Pimephales promelas mg/L LC50 static 6.3 · 7.5 · 96 h Pimephales promelas mg/L LC50 static 6.4 · 96 h Pimephales promelas mg/L LC50 static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepomis macrochirus mg/L LC50 semi-static 6.5 · 96 h Lepom	Sodium lauryl sulfate	3.59 - 15.6: 96 h	10.2 - 22.5: 96 h Pimephales	1.8: 48 h Daphnia magna mg/L
mg/L EC50 static 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 53: 72 h Desmodesmus subspicatus mg/L LC50 static 15: 18.9: 96 h Precilia reticulata mg/L LC50 static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 5.8 - 7.5: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 1.32: 96 h Decontynchus mykiss mg/L LC50 semi-static 1.33: 96 h Concorhynchus mykiss mg/L LC50 semi-static 1.34: 96 h Concorhynchus mykiss mg/L LC50 semi-static 1.35: 96 h Lepomis macrochirus mg/L LC50 semi-static 1.36: 96 h Concorhynchus mykiss mg/L LC50 semi-static 1.37: 96 h Brachydanio rerio mg/L LC50 semi-static 1.38: 96 h Concorhynchus mykiss mg/L LC50 semi-static 1.39: 96 h Pimephales promelas mg/L LC50 semi-static 1.36: 96 h Pimephales promelas mg/L LC50 semi-static 1.36: 48 h Daphnia magna mg/L EC50 static 1.39: 96 h Pimephales promelas mg/L EC50 static 1.39: 96 h Pimephales promelas mg/L EC50 static				, ,
30 - 100. 96 h Desmodesmus subspicatus mg/L EC50   117: 96 h Pseudokirchneriella subcapitata mg/L EC50   53: 72 h Desmodesmus subspicatus mg/L EC50   54: 72. 89 h Pimephales promelas mg/L LC50 static   22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static   4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static   4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static   4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static   5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static   5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static   6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static   6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static   9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static   1.31: 96 h Cyprinus carpio mg/L LC50 semi-static   4.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static   4.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through   7.97: 96 h Brachydanio rerio mg/L LC50 flow-through   7.97: 96 h Brachydanio rerio mg/L LC50 flow-through   7.97: 96 h Brachydanio rerio mg/L LC50 flow-through   7.97: 96 h Lepomis macrochirus mg/L LC50 static   65: 48 h Daphnia magna mg/L LC50 flow-through   7.97: 96 h Lepomis macrochirus mg/L LC50 static   7.99: 96 h Pimephales promelas mg/L LC50 static   7.99: 96 h Lepomis macrochirus mg/L EC50 static   7.99: 96 h Pimephales promelas mg/L EC50 static   7.99: 96 h Pimephales promelas mg/L EC50 static   7.99: 96 h Pimephales promelas mg/L EC5	101 21 0			2000
subspicatus mg/L EC50 117: 96 h Pseudokirchreriella subcapitata mg/L EC50 53: 72 h Desmodesmus subspicatus mg/L EC50 static 22. 1 - 22.8 ii 96 h Pimephales promelas mg/L LC50 static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L EC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 5.8 - 7.5: 96 h Lepomis macrochirus mg/L EC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 1.31: 96 h Cyprinus carpio mg/L EC50 4.5: 96 h Cyprinus carpio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L Cyprinus				
117: 96 h Pseudokirchneriella subcapitata mg/L EC50 53: 72 h Desmodesmus subspicatus mg/L EC50 semi-static 53: 72 h Desmodesmus subspicatus mg/L LC50 static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmosi macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through				
subcapitata mg/L ECS0 53: 72 h Desmodesmus subspicatus mg/L ECS0  15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.06 - 5.75: 96 h Desmodesmus macrochirus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Desmis macrochirus mg/L LC50 4.5: 96 h Desmis macrochirus mg/L LC50 4.5: 96 h Desmis macrochirus mg/L LC50 6.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static				
promelas mg/L LC50 static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.0 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Depomis macrochirus mg/L LC50 flow-through 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Cepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 static 79: 96 h Lepomis macrochirus mg/L LC50 Static 79: 96 h Lepomis macrochirus mg/L EC50 Static				
### Provided Head of Prime Phales				
promelas mg/L LC50 static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 4.3 - 8.5: 96 h Decomposition mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 8 - 12.5: 96 h Pimephales promelas mg/L LC50 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 static 9.9 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1				
4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Lepomis macrochirus mg/L LC50 flow-through 75: 96 h Lepomis macrochirus mg/L LC50 flow-through 75: 96 h Lepomis macrochirus mg/L LC50 flow-through 75: 96 h Lepomis macrochirus mg/L LC50 Static		9		
4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through				
mg/L LC50 flow-through 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L			macrochirus mg/L LC50 static	
4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static  5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static  6.2 - 9.6: 96 h Pimephales promelas mg/L LC50  8 - 12.5: 96 h Pimephales promelas mg/L LC50  8 - 12.5: 96 h Pimephales promelas mg/L LC50 static  9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static  1.31: 96 h Cyprinus carpio mg/L LC50 semi-static  1.31: 96 h Oncorhynchus mykiss mg/L LC50 semi-static  4.2: 96 h Oncorhynchus mykiss mg/L LC50  4.5: 96 h Lepomis macrochirus mg/L LC50 flow-through  7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  75: 96 h Lepomis macrochirus mg/L LC50 static  79: 96 h Pimephales promelas mg/L EC50 Static			4.2 - 4.8: 96 h Lepomis macrochirus	
mykiss mg/L LC50 static  5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static  6.2 - 9.6: 96 h Pimephales promelas mg/L LC50  8 - 12.5: 96 h Pimephales promelas mg/L LC50  8 - 12.5: 96 h Pimephales promelas mg/L LC50 static  9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static  1.31: 96 h Cyprinus carpio mg/L LC50 semi-static  1.31: 96 h Oncorhynchus mykiss mg/L LC50  4.2: 96 h Oncorhynchus mykiss mg/L LC50  4.5: 96 h Lepomis macrochirus mg/L LC50  4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through  7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  7.97: 96 h Lepomis macrochirus mg/L LC50 flow-through  75: 96 h Lepomis macrochirus mg/L LC50 flow-through  75: 96 h Lepomis macrochirus mg/L LC50 flow-through  75: 96 h Lepomis macrochirus mg/L LC50 flow-through			mg/L LC50 flow-through	
5.8 - 7.5 96 h Pimephales promelas mg/L LC50 static			4.3 - 8.5: 96 h Oncorhynchus	
mg/L LC50 static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.5: 96 h Oncorhynchus mykiss mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 75: 96 h Lepomis macrochirus mg/L LC50 Static 79: 96 h Pimephales promelas mg/L			mykiss mg/L LC50 static	
6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.5: 96 h Oncorhynchus mykiss mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 4.62: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Depomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L EC50 Static			5.8 - 7.5: 96 h Pimephales promelas	
mg/L LC50 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 1.31: 96 h Optimus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through Acetic acid 64-19-7  Acetic acid 64-19-7  65: 48 h Daphnia magna mg/L LC50 static 79: 96 h Pimephales promelas mg/L			mg/L LC50 static	
8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Orcorhynchus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through Acetic acid 64-19-7  75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L EC50 Static			6.2 - 9.6: 96 h Pimephales promelas	
mg/L LC50 static  9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static  1.31: 96 h Cyprinus carpio mg/L LC50 semi-static  4.2: 96 h Oncorhynchus mykiss mg/L LC50  4.5: 96 h Lepomis macrochirus mg/L LC50  4.62: 96 h Oncorhynchus mykiss mg/L LC50  4.62: 96 h Oncorhynchus mykiss mg/L LC50  4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through  7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  Acetic acid  64-19-7  Acetic acid  65: 48 h Daphnia magna mg/L LC50 static  79: 96 h Pimephales promelas mg/L				
9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 64.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 7.97: 96 h Lepomis macrochirus mg/L LC50 flow-through 65: 48 h Daphnia magna mg/L LC50 Static 79: 96 h Pimephales promelas mg/L				
mg/L LC50 semi-static 1.31: 96 h Cyprinus carpio mg/L				
1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  Acetic acid 64-19-7  75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L				
LC50 semi-static  4.2: 96 h Oncorhynchus mykiss mg/L LC50  4.5: 96 h Lepomis macrochirus mg/L LC50  4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  Acetic acid 64-19-7  Acetic acid 64-19-7  75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L				
4.2: 96 h Oncorhynchus mykiss mg/L LC50 4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through Acetic acid 64-19-7 75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L				
mg/L LC50  4.5: 96 h Lepomis macrochirus mg/L				
4.5: 96 h Lepomis macrochirus mg/L LC50 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  Acetic acid 64-19-7 75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L			, , , , , , , , , , , , , , , , , , , ,	
Acetic acid 64-19-7  LC50  4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 75: 96 h Lepomis macrochirus mg/L LC50 static FC50 Static FC50 Static FC50 Static				
4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through Acetic acid 64-19-7 75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L				
mg/L LC50 flow-through 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through Acetic acid 64-19-7 75: 96 h Lepomis macrochirus mg/L LC50 static FC50 Static 79: 96 h Pimephales promelas mg/L			=	
7.97: 96 h Brachydanio rerio mg/L LC50 flow-through  Acetic acid 75: 96 h Lepomis macrochirus mg/L 65: 48 h Daphnia magna mg/L LC50 static EC50 Static 79: 96 h Pimephales promelas mg/L				
LC50 flow-through  Acetic acid 64-19-7 75: 96 h Lepomis macrochirus mg/L LC50 static FC50 Static 79: 96 h Pimephales promelas mg/L				
Acetic acid 64-19-7 75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L				
64-19-7 LC50 static EC50 Static T9: 96 h Pimephales promelas mg/L	A satis a sid			CC: 40 h Donhain manna :::://
79: 96 h Pimephales promelas mg/L				
	04-19-7			ECOU Static
I I I I I I I I I I I I I I I I I I I			LC50 static	

# Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

Mobility

WIGHT	
Chemical name	Partition coefficient
Isopropanol 67-63-0	0.05
Sodium lauryl sulfate 151-21-3	1.6

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Jani Offica Flazar a da do Tracto Glatac				
Chemical name	California Hazardous Waste Status			
Isopropanol	Toxic			
67-63-0	Ignitable			

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Isopropanol	X	ACTIVE	X	X	X	X	Χ	X	X
Sodium lauryl sulfate	Х	ACTIVE	X	X	X	X	X	X	X
Polyglyceryl Oleate	Х	ACTIVE	X			X	X	X	Х
Citronella	Х	ACTIVE	Х			Х	Χ	Х	Х
Lemongrass Oil	Х	ACTIVE	Х			Х	Χ	Х	Х
Thyme Oil	X	ACTIVE	Х			Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	5-10	1.0

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropanol	X	X	X
67-63-0			

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards000Not determinedHMISHealth HazardsFlammabilityPhysical hazardsPersonal Protection100Not determined

Issue Date:22-Jun-2020Revision Date:20-Feb-2025Revision Note:Flash Point update

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

Web Out, Nature's Element and Nisus Corporation are registered trademarks of Nisus Corporation. ©2022 Nisus Corporation • #WO-SDS-22025a