according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

SECTION 1. IDENTIFICATION

Product name : ADVION WDG Design code : A20382A

Product Registration number : 100-1501

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United Chatan of America (UC

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Acute toxicity (Oral) : Category 4

Specific target organ toxicity

- single exposure

Category 2 (Central nervous system)

Specific target organ toxicity

- repeated exposure

Category 1 (Blood, Nervous system)

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : May form combustible dust concentrations in air.

H302 Harmful if swallowed.

H371 May cause damage to organs (Central nervous system). H372 Causes damage to organs (Blood, Nervous system)

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

May form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb	173584-44-6	20
kaolin	1332-58-7	>= 5 - < 10
sucrose, pure	57-50-1	>= 1 - < 5
titanium dioxide	13463-67-7	>= 0.1 - < 1
dioxosilane	14808-60-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

No symptoms known or expected.

Harmful if swallowed.

May cause damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

Nonspecific

Notes to physician : There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

fighting

Do not use a solid water stream as it may scatter and spread

fire

Specific hazards during fire : As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.

Electrical equipment should be compatible with the flammability characteristics of this material. The flammability

characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of

flammable solvents.

In general personnel handling this material and all conducting equipment should be electrically earthed or grounded. Bulk bags (FIBC) used to contain this material should be Type B,

Type C or Type D. Type C bags must be electrically grounded or earthed before powder is charged to or discharged from the bag. If metal or fiber drums are used to

contain this material, make certain the metal parts are bonded to the filling equipment and grounded.

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke.

For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
indoxacarb	173584-44-6	TWA	1 mg/m3 (Respirable dust)	Supplier
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (Res- pirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir-	5 mg/m3	OSHA Z-1

according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

		able fraction)		
		TWA (Total	10 mg/m3	OSHA P0
		dust) `		
		TWA (respir-	5 mg/m3	OSHA P0
		able dust		
		fraction)		
sucrose, pure	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Res-	5 mg/m3	NIOSH REL
		pirable)		
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total	15 mg/m3	OSHA Z-1
		dust)		
		TWA (respir-	5 mg/m3	OSHA Z-1
		able fraction)		
		TWA (Total	15 mg/m3	OSHA P0
		dust)		
		TWA (respir-	5 mg/m3	OSHA P0
		able dust		
		fraction)		
titanium dioxide	13463-67-7	TWA (total	15 mg/m3	OSHA Z-1
		dust)		
		TWA (Total	10 mg/m3	OSHA P0
		dust)	0.5 / 0	
		TWA (Res-	2.5 mg/m3	ACGIH
		pirable par-	(Titanium dioxide)	
		ticulate mat-		
dioxosilane	44000 00 7	ter) TWA (respir-	40 m m/m 2	OSHA Z-3
dioxosiiane	14808-60-7	able)	10 mg/m3 / %SiO2+2	USHA Z-3
		TWA (respir-	250 mppcf	OSHA Z-3
		able)	/ %SiO2+5	OSHA Z-3
		TWA (respir-	0.1 mg/m3	OSHA P0
		able dust	0.1 mg/m3	OSHAFU
		fraction)		
		TWA (Res-	0.025 mg/m3	ACGIH
		pirable par-	(Silica)	7.55111
		ticulate mat-	(302)	
		ter)		
		TWA (Res-	0.05 mg/m3	NIOSH REL
		pirable dust)	(Silica)	
		TWA (Res-	0.05 mg/m3	OSHA Z-1
		pirable dust)	J	

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color : white

Odor : slight

Odor Threshold : No data available

r Ha : 8.1

according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number : $2 (68 \degree F / 20 \degree C)$

4 (212 °F / 100 °C)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Minimum ignition temperature : 400 °C

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Minimum ignition energy : 10 - 30 mJ

Particle characteristics

Particle size : No data available

according to the OSHA Hazard Communication Standard



ADVION WDG

Revision Date: Version SDS Number: Date of last issue: 01/29/2020 S00036494899 Date of first issue: 08/10/2018 06/25/2024 3.0

SECTION 10. STABILITY AND REACTIVITY

Reactivity None reasonably foreseeable. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid No decomposition if used as directed. Incompatible materials

None known.

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, female): 1,909 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

LD50 (Rat, male and female): > 5,000 mg/kg Acute dermal toxicity

Components:

indoxacarb:

Acute oral toxicity LD50 (Rat): 268 mg/kg

Acute inhalation toxicity LC50 (Rat): > 5.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity LD50 (Rat): > 5,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

Product:

Species : Rabbit

Result : No skin irritation

Components:

indoxacarb:

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Components:

indoxacarb:

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Maximization Test

Species : Guinea pig

Result : Does not cause skin sensitization.

Components:

indoxacarb:

Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

indoxacarb:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

Components:

indoxacarb:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

kaolin:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

titanium dioxide:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a carcinogen

Based on the results of chronic inhalation studies (with positive results only in a single species - rat), IARC has concluded that: "There is inadequate evidence in humans for the carcinogenicity of titanium dioxide." but that: "There is sufficient evidence in experimental animals for carcinogenicity of titanium dioxide". IARCs overall evaluation was that "titanium dioxide is possibly carcinogenic to humans (Group 2B)." Our supplier has examined all of the available animal carcinogenicity and mechanistic data together with workplace epidemiology data for titanium dioxide and concludes that the weight of scientific evidence indicates that there is no causative link between titanium dioxide exposure and cancer risk in humans and that workplace exposures in compliance with applicable exposure standards will not result in lung cancer or chronic respiratory diseases in humans.

dioxosilane:

Carcinogenicity - Assessment

Weight of evidence does not support classification as a carcinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors affecting its biological activity.

arrooting no biological activi

IARC Group 1: Carcinogenic to humans

kaolin 1332-58-7

(Silica dust, crystalline)

Group 1: Carcinogenic to humans

dioxosilane 14808-60-7

(Silica dust, crystalline)

Group 2B: Possibly carcinogenic to humans

titanium dioxide 13463-67-7

OSHA

NTP Known to be human carcinogen

according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

kaolin 1332-58-7

(Silica, Crystalline (Respirable Size))

Known to be human carcinogen

dioxosilane 14808-60-7

(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Not classified due to lack of data.

Components:

indoxacarb:

Reproductive toxicity - As-

No toxicity to reproduction

sessment

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:

indoxacarb:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 2.

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:

indoxacarb:

Target Organs : Blood, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

dioxosilane:

Routes of exposure : Inhalation Target Organs : Lungs

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

indoxacarb:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Lemna gibba (gibbous duckweed)): > 84.3 mg/l

Exposure time: 14 d

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.0793 mg/l

End point: Growth inhibition

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l

Exposure time: 90 d

NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l

Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.09 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

indoxacarb:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

indoxacarb:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 950.3

Exposure time: 21 d

Mobility in soil

Components:

indoxacarb:

Distribution among environmental compartments

: Remarks: No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

according to the OSHA Hazard Communication Standard



ADVION WDG

Version **Revision Date:** SDS Number: Date of last issue: 01/29/2020 06/25/2024 S00036494899 Date of first issue: 08/10/2018 3.0

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Empty remaining contents. Contaminated packaging

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

(INDOXACARB)

9 Class Ш Packing group Labels 9 Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN 3077 UN/ID No.

Environmentally hazardous substance, solid, n.o.s. Proper shipping name

(INDOXACARB)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-956

ger aircraft)

Environmentally hazardous

yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN 3077 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

956

(INDOXACARB)

Class 9 Packing group Ш Labels

EmS Code F-A. S-F Marine pollutant

Remarks This product can be subject to exemptions when packaged in

according to the OSHA Hazard Communication Standard



ADVION WDG

Version Revision Date: SDS Number: Date of last issue: 01/29/2020 3.0 06/25/2024 S00036494899 Date of first issue: 08/10/2018

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed.

Causes moderate eye irritation.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling.

Harmful if inhaled.

Avoid breathing dust.

Avoid breathing spray mist.

Avoid breathing vapors.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Acute toxicity (any route of exposure)

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Health 1 0 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health

according to the OSHA Hazard Communication Standard



ADVION WDG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2020

 3.0
 06/25/2024
 S00036494899
 Date of first issue: 08/10/2018

Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory: TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/25/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8